DX8210 is Datalogic's new high performance laser bar code reader purpose built to offer to offer top reading performance combined and ease of use to End User and System Integrators specialized in the Transport and Logistics market.

Thanks to its unique design, DX8210 offers an ALL-IN-ONE solution for omnidirectional reading stations. This single device is capable of reading codes at any orientation on the conveyor.

With the benefits of state-of-the-art technology and innovative optic design, DX8210 can cover a wide conveyor and large depth of field to satisfy demanding applications. A high scan rate (2000 scans/sec) allows DX8210 to work perfectly on high speed conveyors for mass production.

Thanks to its ALL-IN-ONE architecture, DX8210 offers unmatchable ease of installation and ease of use.

In just a few minutes, readers can be installed above the conveyor and the onmi-station is ready to work.

The innovative DST (Digital Signal Technology) drastically increases optic performance even in cases where code quality is unpredictable. DST offers stable and constant performance under any working conditions to ensure logistic operators maintain timely deliveries.

Multi-headed tunnel configurations are perfectly managed with EBC (Ethernet Bus Connection), allowing high speed data transmission and real time signal synchronization inside the system.

EBC allows redundant configuration, assuring no system deadlock in case of component failure.

Ease of use, automatic setup and system diagnostics are perfectly satisfied thanks to e-GENIUS, the web browser configuration tool that allows you to access the system with a standard web-browser program with no need for specific configuration software.



















### **HIGHLIGHTS**

- ALL-IN-ONE architecture offering outstanding ease of use and ease of installation
- Single device offering 900x900 mm (36x36 in) omnidirectional reading area
- High scan rate (2000 scans/sec) provides top results on high speed conveyors and in mass production environments
- Excellent performance on low quality code and unpredictable reading conditions
- Unmatchable ease of use and ease of installation
- DST (Digital Signal Technology) offering stable and constant performance under any operative conditions
- ASTRA G3 technology offering superior DoF and FoV without mechanical autofocus
- Ethernet Bus Connections (EBC) for high speed data transmission and real time synchronization
- Fully redundant configuration and no single point of failure
- e-GENIUS web browser programming tools
- Ease of maintenance and automatic replacement

# TARGET MARKETS AND APPLICATIONS


- 1. Airport Baggage Handling
- 2. Parcel Sorting
- 3. Retail Distribution Center
- 4. Loading/Unloading System
- 5. Shop Floor and Manufacturing
- 6. Automatic Warehousing Management



### **TECHNICAL SPECIFICATIONS**

Deading Distance (Min /May)	600 4050 mm /33 73 inl	
Reading Distance (Min/Max)	600-1850 mm (23-72 in)	
Max Resolution	Min:0.25mm (10mils)/Max: 1.0mm (40mils)	
Scan Rate	Typ: 1000scans/s/ Max	
Scan Pattern Type	X-Pattern	
Aperture Angle	60 degrees	
Multilabel Reading	Up to 10 different symbologies during the same reading phase	
Optic Architecture/Technology	ASTRA G3	
Bar Code Assignment Technology	PackTrack™G2	
Reconstruction Code Technology	ACR G5	
Readable Codes	22 symbologies including 2/5 family, Code39,Code93,Code128,EAN/UPC,EAN128,ISBN128	
Case Material	Aluminum alloy	
Dimensions (Typical Value)	381 x 328 x 92.5 mm [15 x 13 x 3.6 in]	
Weight	7.7 kg (17 lb)	
Temperature Range	0° - 50° C	
Power Supply / Consumption	20 to 30 VDC; 20 W	
IP rating	IP65	
Ethernet	2 x Ethernet TCP/IP	
Serial Interfaces	Main Port: RS232 / RS422 up to 115.2 Kbit/s Auxiliary Port: RS232 up to 115.2 Kbit/s	
Internal Communication System	EBC Technology	
Fieldbus	Embedded EtherNet/IP; PROFINET-IO and PROFIBUS-DP supported	
Digital Inputs	3 x Inputs (2+1 x "Encoder"), optocoupled, NPN/PNP	
Digital Outputs	2 x Outputs SW programmable, optocoupled, event driven, NPN	
Device Programming	Multilanguage, browser-based, on board HTML web server interface	

### **MECHANICAL DRAWINGS**



### MODELS

MODEL	DESCRIPTION	PART NUMBER
DX8210-2100	Standard Resolution	936300001
DX8210-4100	Standard Resolution Extended	936300003
DX8210-4200	High Resolution Extended	936300004

Rev. 00, 03/2015



# **Legacy Technology Services**

### We Rent & Sell All Types Of Barcode Equipment

## Call now to talk to an expert

866-271-9891

### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

#### Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

#### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

#### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















