



HP DreamColor LP2480zx Professional Display

Billion-color
accuracy—from
vision through
production

Are you ready to replace your outdated CRTs and mainstream LCDs with a color-critical LCD that exceeds CRT performance standards? Developed in close collaboration with DreamWorks Animation, the HP DreamColor LP2480zx Professional Display is the world's only color-critical LCD based on HP DreamColor Engine technology.

This uniquely affordable monitor delivers broad color support, rich visual quality, and consistent presentation results on a 24-inch diagonal wide-aspect screen. Now, you can create real-world color that is truly accurate, radically predictable, and set-it-and-forget-it simple.

Billion-color possibilities

- Innovative 30-bit LCD panel technology supports over one billion active colors—64 times the colors supported by traditional LCDs for virtual elimination of banding or contouring artifacts
- Super IPS panel technology
- Best-in-class off-axis performance including ultra low chrominance shift and contrast degradation
- Tearing-free film and 50/60 Hz video playback

Breakthrough color control

- Work with deeper colors, CRT-class black, and programmable white
- Set the white point precisely with the RGB LED backlight

- Share projects and match the toughest colors
- Improve content collaboration across the hall or the world with exact-color certainty

Vision-to-production precision

- Choose factory-calibrated color spaces with the touch of a button: sRGB, Adobe RGB, Rec. 601, Rec. 709, DCI-P3 emulation (97%), and full gamut
- Use the optional HP DreamColor Advanced Profiling Solution to customize color space by defining the primaries, gamma, white point, and luminance (includes colorimeter and software)
- HP Night Vision user interface with on screen button tags and auto-fade backlit bezel buttons for easy control in bright and dark work environments

Performance-class features

HP Performance series monitor features include:

- Component, S-video, and composite inputs, plus DisplayPort 1.1, HDMI 1.3, (2) DVI-I with HDCP support for protected content
- Customizable tilt, swivel, height adjustment, and pivot rotation so you can work comfortably
- Built-in 4-port USB hub



HP DreamColor LP2480zx Professional Display

Part number	GV546A4	Panel type	IPS 60.96-cm (24-in) wide-aspect screen
Viewable image area (diagonal)	60.96 cm (24 in) wide-aspect screen	Viewing angle	178 degrees (to CR of 10:1 min.)
Maximum white luminance¹	250 cd/m ² (typ.)	Minimum white luminance	50 cd/m ² (typ.)
Black luminance	0.05 cd/m ² (typ. black level at minimum white level)	Contrast ratio¹	1000:1
Response rate¹	12 ms (rise+fall, full black-to-white-to-black); 6 ms (gray to gray)	Pixel pitch	0.270 mm
Gamma/tone response	Programmable from "gamma" value of 1.0 to 3.0.	Color gamut	Native gamut approx. 133% NTSC (typ. in CIE 1976 u'v' space)
Adobe RGB coverage	100% (typ.)	sRGB coverage	100% (typ.)
Display colors	Over 1 billion colors in native mode	Lookup table	12 bits per entry, 1024 entries per table.
Internal processing	Min. 10 bits/color throughout video processing pipeline.	OSD functions	Color Space, Luminance, Whitepoint, Primaries and Gamma Information, Reset to Factory Calibration, Reset to Last Calibration, Black Level, Overdrive, Custom Scaling, PIP Controls, Language, Power Saver, Power on Recall, Bezel Button LED, Auto EDID Update, Sleep Timer, Function (button) Control, Monitor Status Message, Warning Messages, Calibration Limit, OSD Button Labels, Mode Display, Video Input Control, Input Auto-Switching, Information (menu), Factory Reset., Intuitive OSD supporting key features of monitor
Native resolution	1920 x 1200 pixels	Preset graphics modes	Up to 2048 x 1200 @ 60 Hz
SDTV/HDTV timing modes (per CEA standards unless otherwise noted)	Up to 1920 x 1080 @ 60 Hz (progressive)	Color space presets²	7 color space presets; all user-programmable plus six factory programmed: sRGB, Rec. 709, Rec. 601, Adobe® RGB, DCI-P3 emulation (97%), full gamut
Video inputs	DVI (2), DisplayPort 1.1, and HDMI 1.3 with HDCP support; Component (YPbPr), S-Video, Composite	Self-powered USB 2.0 hub	1 upstream, 4 downstream USB 2.0 ports.
Power	Typical: 42 W (120 VAC, no USB devices connected, and sRGB Color Space preset); Maximum: 90 W; Power Saving: 10 W in "sleep" mode; 3W in "off" mode	Frequency	50/60 Hz
Dimensions (h x w x d)	Unpacked 42.5 to 52.5 x 56.5 x 25.4 cm (16.7 to 20.67 x 22.24 x 10 in); Unpacked w/o stand (head only): 37.5 x 56.5 x 9.8 cm (14.76 x 22.24 x 3.86 in) Packaged: 46.8 x 68.2 x 37.1 cm (18.43 x 26.85 x 14.6 in)		
Weight	Unpacked : 27.5 lb (12.5 kg); Unpacked w/o stand (head only): 18.7 lb (8.5 kg); Packaged: 33 lbs (15 kg)		
Base features	Tilt range: -5 to +35 degrees; Swivel range: 45 to +45 degrees; Height adjustable: 3.94 in (10.0 cm) range; Pivot rotation: 90 degrees		
Options (each sold separately; for more information, refer to each product's Quick Specs.)	<p>HP DreamColor Advanced Profiling Solution—Part number KZ300AA; quickly and accurately allows the user to calibrate monitor front of screen setting to prevent any drift of critical monitor color or whitepoint settings.</p> <p>HP LCD-Hood Kit—Part number KZ301AA; enables an improved visible monitor resolution by providing a darkened fore space from which to view the monitor's panel.</p> <p>HP LCD Speaker Bar—Optional; powered directly by the monitor or PC, seamlessly attaches to the monitor's bezel; features dual speakers with full sound range and an external jack for headphones. Part number NQ576AA.</p> <p>HP Business PC Security Lock Kit—Optional; Attaches to the rear of the PC with a six-foot steel cable that can be used to secure a PC or peripherals such as mice, keyboards, monitors or USB security devices to protect them against unauthorized removal by physically connecting the system to an anchor point. Part number PV606AA.</p> <p>HP USB Graphics Adapter—Optional; Enables connection of up to six simultaneous displays to help you boost productivity and multi-task across several open applications. Use one Adapter to bridge between a notebook or desktop PC and second monitor or use multiple Adapters to connect several displays to each other. Part number NL571AA</p>		
Certification and compliance	TCO'99, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista® Premium)		
Warranty	Three years parts, labor, and on-site service. 24-hour, 90-day, toll-free technical support. Replacement options may include second business day on-site service, or next business day direct replacement, at HP's sole discretion. ³ With direct replacement, HP will ship a replacement display product directly to you. Using the prepaid shipping labels provided, return your failed display to HP in the same packaging as the replacement. Certain restrictions and exclusions apply. For details see your product warranty or contact HP Customer Support.		

1. Programming color space presets requires use of optional calibration accessory and software 1. All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. The information contained herein is subject to change without notice. 2. HP Care Pack Services extend service contracts beyond the standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts from date of hardware purchase. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at www.hp.com/go/lookuptool. Additional HP Care Pack Services information by product is available at www.hp.com/hps/carepack.

© 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR is a US registered mark of the United States Environmental Protection Agency. To learn more, visit www.hp.com

December 2009



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684