

A reliable and purpose-built display for demanding retail and hospitality environments.



Purpose built

The HP L1506x 15-inch LED Monitor is the ideal solution for use as a customer-facing or associate display. Choose the reliable, purpose-built HP L1506x Monitor for a stunning display. The 4:3 standard aspect ratio ensures compatibility with software applications used by the retail and hospitality industries and also preserves valuable counter real estate with its narrow footprint.

White LED backlighting helps reduce your impact on the environment and lower operating costs. The HP L1506x 15-inch LED Monitor is ENERGY STAR® 5.0 qualified and certified as EPEAT® Gold. HP has designed this product with materials free of brominated flame retardants¹ (BFRs) and polyvinyl chloride¹ (PVC) to help support your environmental initiatives.

Bright, clear

By utilizing an industrial panel, the HP L1506x Monitor offers increased brightness, a high contrast ratio and supports operating temperatures up to 50°C (122° F) allowing it to be implemented in the most demanding of environments. Customers and associates can easily read information from the bright, clear screen surface.

Works in your space

Additionally, the HP L1506x Monitor has a

detachable base and includes standard 100 mm VESA mounting holes² for mounting to a wall, an optional swing arm or custom mounting solution, or other vertical surface. Accessory rails are included in the box for quick and easy mounting of HP accessories such as the HP USB Mini Magnetic Stripe Reader or an HP Speaker Bar.

Designed to withstand your environment

Your environment is rough on your equipment. The HP L1506x is built to withstand high operating temperatures and can be used in areas with low air circulation. This smart design helps ensure long life for your equipment. The included circular base offers stability in small spaces.

Industry leading warranty & support

The HP L1506x 15-inch LED Monitor is backed by a 3-year limited warranty that includes Advanced Exchange³. You can also select from a range of HP Care Pack Services to extend your protection beyond the standard warranties⁴.

For more information about the HP L1506x LED Monitor, please visit www.hp.com/go/POS.

SPECI		ATIC	N 105
NPF(I	H	Δ H () \ \\\\

Panel type TN (Twisted Nematic) WLED Backlit LCD

Viewable image area 15 in (38.1 cm)

Viewing angle 160 degrees horizontal/140 degrees vertical (10:1 minimum contrast ratio)

Brightness 400 nits (cd/m2)

Contrast ratio 700:1

Response rate (typical) 8 ms (on/off)

Frequency 30 to 63 kHz horizontal; 50 to 76 Hz vertical

Native resolution 1024 \times 768 @ 60 Hz (recommended) **Resolutions supported** 1024 \times 768 @ 60 Hz, 70 Hz, and 75 Hz

 832×624 @ 75Hz, 800×600 @ 60 Hz, 72 Hz, and 75 Hz

720 x 400 @ 70 Hz

640 x 480 @ 60 Hz, 72 Hz, and 75 Hz

Input signal 15 pin D-sub (Analog VGA)

User controls (onscreen display) 3-button on-screen display including menu, minus, plus; power on/off

Input power 100 – 240 VAC

Power cable length Detachable 15-pin D-sub, 70.8 in (1.8 m)

Dimensions (WxDxH) with stand $13.9 \times 13.4 \times 7.9$ in $(35.5 \times 34.0 \times 20.3 \text{ cm})$

without stand $11.4 \times 13.4 \times 2.4$ in $(29.0 \times 34.0 \times 6.0 \text{ cm})$

Weight 6.83 lb (3.10 kg)

Base features Detachable, tilt range -5° to $+30^{\circ}$ vertical tilt

Operating tempera-

ture

Operating temperature 0° to 50° C (32° to 122° F)

Environmental ENERGY STAR 5.0®, EPEAT® Gold where HP registers commercial display products. See http://

www.epeat.net for registration status in your country.

Certifications and compliance

CB, pixel defect guidelines, CISPR, VCCI, ETL (Canada), TUV and GS Mark (German ergonomic),

BSMI (Taiwan), CCC (China), KCC/KC (South Korea), NOM (Mexico), Eastern

European approvals, CE Marking, FCC approval, ENERGY STAR 5.0® qualified, Microsoft® Win-

dows® certified (Microsoft® Windows® 2000, Microsoft

Windows XP, UL listed, GOST (Russia), SASO (Saudi Arabia), EPEAT® Gold

Option kit contents Detachable AC power cable, detachable VGA cable, detachable base, documentation kit, and user

CD

Warranty Three years parts, labor, and on-site service. 24-hour, 90-day, toll-free technical support. Replacement

options may include second business day on-site service, or next business day direct replacement, at HP's sole discretion.* With direct replacement, HP will ship a replacement display product directly to you. Using the prepaid shipping labels provided, return your failed display to HP in the same packaging as the replacement. Certain restrictions and exclusions apply. For details see your product warranty

or contact HP Customer Support.

Options HP USB Mini Magnetic Stripe Reader with Brackets, Part Number FK186AA

HP Single Monitor Arm, Part number BT861 AA

HP Adjustable Dual Display Stand, Part Number AW664AA

HP LCD Speaker Bar, Part number NQ576AA

HP LCD Monitor Quick Release, Part number EM870AA

Bright (400 nits) LED Backlighting

> 4:3 Standard Aspect Ratio



Industrial Panel

Standard 100mm VESA mounting holes



Detachable circular base included







- 1. HP L1506x LED Monitor is brominated flame retardant and polyvinyl chloride-free (BFR/PVC-free); meeting the evolving definition of 'BFR/PVC-free' as set forth in the "iNEMI Position Statement on the 'Definition of Low-Halogen' Electronics (BFR/CFR/PVC-Free)". Plastic parts contain < 1000 ppm (0.1%) of bromine [if the Br source is from BFRs] and < 1000 ppm (0.1%) of chlorine [if the Cl source is from CFRs or PVC or PVC copolymers]. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total < 1500 ppm (.15%) with maximum chlorine of 900 ppm (.09%) and maximum bromine being 900 ppm (.09%). Service parts after purchase may not be BFR/PVC-free. The power cord is not BFR/PVC free in China and Korea.
- 2. Mounting hardware sold separately.
- 3. Advanced Exchange part is shipped via a carrier or courier to the Customer's location free of freight charges. HP will ship the replacement product in a container suitable for returning the defective product to HP. Instructions and a prepaid shipping label for the return of the failed product will be included in the replacement product's shipping container. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply.
- 4. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/lookuptool.
- 5. All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

 Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com

Some brands we carry





















