

www.uicworld.com

End-to-End Encryption Magnetic Stripe Reader



MSR215E Series

- Two-frequency coherent phase (F2F) decoding
- High-performance 32-bit Enhanced RISC SecurCore microcontroller
- Reads Magnetic Strip cards conforming to ISO7810 and 7811
- Triple track and support for 75/210bpi recording density
- Reads both low and high Coercivity cards (300-4000 Oe)
- Built-in battery for security data backup
- Supports multiple interfaces (USB HID-MSR, USB HID-KB,USB Virtual-COM,RS232)
- Built-in 1.7 meter cable can come out from bottom or side wall
- Reader status LED
- ESD Performance: 8kV (air discharge) / 4kV (contact discharge)







GSTRIPE SE

SECURITY

USB HID or USB Keyboard Emulation Interface

MSR215 communicates with a host computer using USB interface. The reader can read magnetic data from available track encoded per ISO 7810/7811, AAMVA and DMV.

Security

The MSR215 with tamper-resistant, hardware-based encryption. DUKPT key management is featured, and TDES, AES, RSA encryption algorithms are used. Among other features, the MSR215 is well aligned with the security in the PCI emerging technology. In addition, it supports TransArmor and HP/Voltage security solutions.

Trusted Name

UIC is a leading manufacturer of payment devices and transaction solutions. Known in the industry for reliability and dependability, UIC products offer high value and quality at a reasonable price.



MSR215 Series

The End-to-end Encryption Magnetic Stripe Reader

SPECIFICATIONS

Electrical

Power Requirement	+5VDC +-10% from USB Port
Power consumption	100mA Max. in normal condition
Mechanical	
Body Material	PC +20%GF ABS, 94V-0
Dimensions	(L)102x (W)42x (H)28mm
Weight	Approx. 130 g
Card Handling Method	Manual swipe, bi-directional
Environmental	
Operation Temperature	-10°C to +55°C
Storage Temperature	-30°C to +70°C
Operation Humidity	5% to 95% (Non Condensing)
Storage Humidity	5% to 95% (Non Condensing)
Interface	
Communications	USB , RS232 (optional)
Agency Approval	FCC Class B, CE Class B, RoHS

Performance
Read Card Format
Bit Density

 Track 1
 Track 2
 Track 3

 210 bpi
 75 bpi
 210 bpi


Card Types Magnetic cards as per ISO7810, 7811, AAMVA
Read Capability Magnetic stripe - dual or triple track of low/high

coercivity (300~4000 Oe)

Test Card TypesStandard cardJitter±15%Amp.60%Read Speed5~55 ips5~50 ips5~50 ips

Card Thickness 0.76±0.08 mm
Error Rate < 0.5%
Magnetic Head Life 1M swipe

Specifications are subject to change.







UIC Headquarters

1FL.,No.1,Ln.15, Ziqiang St.,Tucheng Dist., New Taipei City 236,Taiwan, R.O.C. TEL:+886-2-2268-7075 FAX:+886-2-2269-5686

Email: salessupport@uniform.com.tw

UIC USA

47341 Bayside Parkway, Fremont, CA 94538, USA TEL:+ -510-438-6799 FAX:+1-510-438-6790 Email:info@uicusa.com

UIC Europe GmbH

Daimlerstraβe 6, 61449 Steinbach am Taunus, Germany TEL: +49 6171 2088 404 FAX: +49 6171 2088 413 Email: info@uiceurope.com

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















