

Duratherm

Labels and Tags



- Duratherm labels and tags are easy to use and do not require a ribbon to print.
- Duratherm products are coated with a heat-sensitive layer which is imaged through direct contact with the printhead. The result is a pattern of black dots forming text, bar codes, or graphics.
- Available products range from an economical paper label to high-performance synthetic labels.
- Product performance can be matched to your specific application needs, whether it is general labeling or high-speed sortation systems.

Duratherm

Intermec's Duratherm portfolio represents an assortment of products that match performance to specific application needs, providing the right product for the job every time.

Duratherm products offer high-quality, cost-effective printing with various levels of durability, from uncoated paper to top-coated synthetic labels.

Without the need for ribbon changeover, Duratherm products require less operator intervention and training. They are ideal for indoor applications where temperatures do not exceed 140°F (60°C).

Better Together

The Intermec media solution has added advantages when paired with Intermec printers:

- Co-engineered printers and media ensure consistent print quality and performance
- Thermal transfer printability allows on-demand generation of durable labels, eliminating high cost and inventory obsolescence associated with preprinting
- When Intermec media is used exclusively with Intermec printers, the Free Printhead Replacement Program offers significant cost savings

Duratherm Portfolio

| Media Class | Description | Recommended Applications | Notes |
|--------------------------------|--|--|---|
| Duratherm Receipt | Duratherm Receipt is a direct thermal paper that provides excellent print quality. | Well suited for most general receipt applications, most notably for use in portable thermal printers. | Product is available in both general purpose and top-coated configurations. |
| Duratherm II Label | A general purpose direct thermal paper label that delivers high-quality, cost-effective printing. | Duratherm II is recommended for most general use applications where exposure to chemicals and moisture are not anticipated. | |
| Duratherm III Label | Duratherm III is a top-coated direct thermal paper label that delivers high-quality printing and enhanced durability. | Duratherm III is recommended for applications where high humidity, moisture contact, and surface abrasion are a concern. | |
| Duratherm III NIR Label | Duratherm III NIR is a premium direct thermal paper label engineered to deliver high-contrast images and enhanced durability. | Duratherm III NIR is targeted for use in applications with challenging bar code scanning requirements and is well suited for high-speed sortation applications. | Duratherm III NIR is the product of choice for large overnight delivery applications. |
| Duratherm III IR Label | Duratherm III IR is a top-coated paper label that provides sharp text and bar code printing. This material can be scanned with either a visible light or infrared scanning device. | Duratherm III IR is recommended for use in direct thermal applications where surface contamination is a concern for bar code scanning (i.e., healthcare). | |
| Duratherm III Synthetic | Duratherm III Synthetic is a top-coated polyolefin label that provides excellent print quality and enhanced durability over paper products. | Duratherm III Synthetic is recommended for use in wet environments where chemical contact is not a concern. | |
| Duratherm II Tag | Duratherm II Tag is a general purpose paper tag providing high-quality, cost-effective printing. | Duratherm II Tag is recommended for applications where labeling is not suitable. This product resists curling, even in high-humidity environments. | |
| Duratherm III Tag | Duratherm III Tag is a top-coated direct thermal paper tag that delivers high-quality printing and enhanced durability. | Duratherm III Tag is recommended for applications where labeling is not suitable and when additional durability is required. This product resists curling, even in high-humidity environments. | |

**North America
Corporate Headquarters**
6001 36th Avenue West
Everett, Washington 98203
Phone: (425) 348-2600
Fax: (425) 355-9551

Intermec Deutschland
Burgunder Strasse 31
40549 Düsseldorf
Germany
Phone: 0049 211 53601-0
Fax: 0049 211 53601-50
Email: germany.marketing@intermec.com
Web: www.intermec.de

**South America & Mexico
Headquarters Office**
Newport Beach, California
Phone: (949) 955-0785
Fax: (949) 756-8782

**Europe/Middle East &
Africa Headquarters Office**
Reading, United Kingdom
Phone: +44 118 923 0800
Fax: +44 118 923 0801

**Asia Pacific
Headquarters Office**
Singapore
Phone: +65 6303 2100
Fax: +65 6303 2199

Internet
www.intermec.com
Worldwide Locations:
www.intermec.com/locations

Sales
Toll Free NA: (800) 934-3163
Toll in NA: (425) 348-2726
Freephone ROW: 00 800 4488 8844
Toll ROW: +44 134 435 0296

OEM Sales
Phone: (425) 348-2762

Media Sales
Phone: (513) 874-5882

Customer Service and Support
Toll Free NA: (800) 755-5505
Toll in NA: (425) 356-1799

Copyright © 2008 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 611841-A 09/07

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.

