

WPL406

BARCODE PRINTER



Productivity Solutions for Small Businesses

The WPL406 is a durable and reliable industrial barcode printer designed to meet medium and heavy-duty barcode printing requirements. It features a low profile design, all-metal exterior housing, and die-cast aluminum print mechanism able to withstand high volume print applications of up to 10,000 labels per day.

The WPL406 features multiple connectivity options including Ethernet, USB, and serial interfaces. It also features a backlit LCD display with 6 button control panel for quick configuration.

Durable construction, low profile design, and best in class connectivity options make the WPL406 an excellent option for manufacturing, warehousing, distribution, compliance, retail, and healthcare environments. The WPL406 includes a 2-Year manufacturer's warranty covering material defects. The warranty can be extended and upgraded to include accidental breakage with the purchase of an optional WaspProtect extended service plan.

■ WASP WPL406 FEATURES

- ▶ Direct thermal and thermal transfer printing
- ▶ Ethernet, USB, and serial connectivity
- ▶ All-metal housing with die-cast aluminum print mechanism
- ▶ Backlit LCD display with 6 button control panel
- ▶ Print labels up to 4.09" wide
- ▶ 203 dpi print resolution
- ▶ Print speeds up to 6 inches per second print speed
- ▶ 8 MB RAM, 4 MB Flash memory
- ▶ SD card slot for up to 4 GB Flash memory expansion
- ▶ Supports label rolls with outside diameter up to 5"
- ▶ 450 meter ribbon capacity
- ▶ Clear media viewing window

■ BENEFITS

- ▶ Multiple connectivity options allows for easy and quick integration into any environment
- ▶ Flexible design delivers direct thermal and thermal transfer printing for a variety of applications
- ▶ Low profile design fits where larger industrial printers do not
- ▶ All-metal construction and die-cast aluminum print mechanism can withstand even the toughest production environments
- ▶ Quiet operation and fast label throughput provide added versatility